



BUBBLE TENT MADE BY POLYCARBOANTE




Engineering Plastic



Machining Service



Application



VIEWSKY

Non-Inflatable Bubble Tent (UV-SKY)

www.uvplastic.com

www.uvacrylic.com

ABOUT UVPLASTIC

2003

Founding Time

165

Staffs

50+

Countries

1200+

Clients

12+

Millions

WHO WE ARE

UVPLASTIC Material Technology Co., Ltd is a *ONE-STOP SUPPLIER* in the engineering plastic field, established in 2003 at Suzhou, China. After many years of continuous effort, we have one subsidiary and three trademarks ([UVPLASTIC](#), [UVACRYLIC](#), [VIEWSKY](#)), main business are:

1. Engineering Plastic: providing polycarbonate and acrylic in all forms;
2. Machining Service: providing the integrated machining solution for engineering plastic;
3. Application: we design and manufacture products based polycarbonate and acrylic, including [VIEWSKY Bubble Tent](#), [Geodesic Dome Tent](#), [Office Chair Mat](#), [Riot Shield](#), Mini-Greenhouse, etc.

Today, UVPLASTIC is active in architecture & construction, agriculture, medical industry, auto industry, security industry, electronic industry, POP display, optical industry, and industrial fabrication, etc.

COOPERATION PARTNER



WHY UVPLASTIC

One-Stop Supplier



UVPLASTIC is a one-stop [supplier of polycarbonate](#) and [acrylic sheets](#) in all forms. Meantime, we offer the complete system for the greenhouse, building roof, and facade system.

Machining Service



With more than 15 years of experience and high efficient working style, UVPLASTIC can build the prototype and will make customer's ideas come true within short time.

Design and Development



With assistance from CAD, Solidworks, CATIA, and UG, UVPLASTIC works with global engineers to discuss product feasibility and find the best solution for the projects.

Design it and make it



UVPLASTIC have designed some products based on polycarbonate and acrylic, such as VIEWSKY Bubble Tent, Geodesic Dome Tent for hotel, restaurant, glamping, and display application. The mini-greenhouse and office chair mat are popular all over the world.

FEATURED PRODUCTS

UVPLASTIC Polycarbonate

[Solid Polycarbonate Sheet](#);

[Anti-Static Polycarbonate](#);

[Polycarbonate Light Diffuser](#);

[Multi-wall Polycarbonate](#);

[Polycarbonate Film](#);

[Corrugated Polycarbonate](#);

[Polycarbonate Roofing Panel](#);

[Polycarbonate Facade](#);

Machining Service

[Machining Polycarbonate](#);

[Custom Acrylic](#);

UVACRYLIC Plexiglass:

[Clear Acrylic Sheet](#);

[Colored Acrylic Sheet](#);

[Acrylic Rod](#);

[Acrylic Tube](#);

[Acrylic Mirror](#);

[Acrylic Block](#);

[LGP Acrylic](#);

[Acrylic Film](#);

Glamping Dome Tent

[VIEWSKY Bubble Tent](#);

[Geodesic Dome](#);

VIEWSKY Glamping Dome Bubble Tent

VIEWSKY is a trademark belongs to UVPLASTIC, which is a Non-inflatable Glamping Dome [Bubble Tent](#), the best living tent and glamping dome tent, for Camping, Scenic Resort Hotels, Outdoor Hotels, Gourmet Restaurant, Bubble Bar, etc. It is a totally see-through bubble tent and allows you to install a curtain system for privacy. Therefore, you can sleep inside and enjoy the starry or memorable dinner on a wonderful night.

Unlike the PVC inflatable bubble tent, you don't need to prepare the air source for it. VIEWSKY Glamping Dome Bubble Tent offers the aluminum window, they always provide fresh air inside. The main material is the aluminum profiles and [clear polycarbonate sheets](#), which is virtually unbreakable between -40 and 120 degrees centigrade. Therefore, it is totally all-season products, meantime, it offers excellent light transmittance, great fire resistance, marvelous strength to withstand the sudden stormy wind, heavy snow, rainstorm, etc.

The UV coating layer is coated on the outside surface, can block more than 99.9% ultraviolet rays. Therefore, VIEWSKY Glamping Dome Bubble Tent offers great durability and lasts 15 years at least without yellowing nor damaging.

Compared with [Geodesic Dome Tent](#), it is stronger and easier to assemble and install due to the modular structure design. Today, more than 600 clients are using VIEWSKY Glamping Dome Bubble Tents for hotel, restaurant, outdoor glamping, Airbnb, dome greenhouse, POP display business.



Main Benefits

- Totally see through, helps you close to nature and delight in the splendid views;
- Stable and safe, by using polycarbonate, which is 250 times stronger than glass;
- Curtain system is available for privacy;
- Comfortable, the UV coating on the surface can block more than 99.9% ultraviolet rays;
- Excellent fire resistance;
- All-season Glamping Dome Bubble Tent, polycarbonate can be used between -40 and 120 degree;
- Longer lifespan, the UV coating helps polycarbonate keep clear for over 10 years;
- Waterproof and dampproof;
- Modular Design and easy to install;
- Custom clear bubble tents are available;

Model & Description

With continuous efforts, we have developed more than TWO Series and 12 Size bubble tents, they are suitable for restaurant, hotel, outdoor glamping, POP display, dome greenhouse, etc.

Item	Model	Diameter/m	Description
CLASSIC-SERIES Bubble Tent	UV-SKY-C	2.5m; 3m; 3.5m; 4m; 5m; 6m	Using high-quality polycarbonate sheet, silver or white aluminum frames, highly cost-effective;
LUXURY-SERIES Bubble Tent	UV-SKY-L	2.5m; 3.5m; 4.5m; 5.5m	Using high-quality polycarbonate sheet, gray aluminum frames, wonderful appearance;

Difference between CLASSIC-SERIES and LUXURY-SERIES Bubble Tent

- Aluminum Door and Window: CLASSIC-SERIES bubble tent offers silver/white aluminum door and window, and LUXURY-SERIES bubble tent offers gray aluminum door and window, the appearance will be more attractive;
- Size: CLASSIC-SERIES bubble tent offers 6 sizes according to different diameters, including 2.5 meters, 3 meters, 3.5 meters, 4 meters, 5 meters, and 6 meters. And LUXURY-SERIES bubble tent offers 4 sizes, including 2.5 meters, 3.5 meters, 4.5 meters, 5.5 meters;
- Accessories: Curtain system, coded lock, exhaust fan, LED light system are optional for CLASSIC-SERIES bubble tent. But standard LUXURY-SERIES bubble tent includes Curtain system, coded lock, exhaust fan, and only LED system is optional;
- Using polycarbonate sheet with different thickness.

CLASSIC-SERIES Glamping Dome Bubble Tent


1. UV-SKY-C-25

UV-SKY-C-25 Bubble Tent is designed to match bigger bubble tents, such as UV-SKY-C-30/40/50/60 as bathroom or shower room. It is also used for Dinner Room, Bubble Bar, and Leisure Restaurant and POP Display Dome.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-25	2.5	2.5	260	4.9	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Manual curtain system;
- 2). Solar-powered exhaust fan;
- 3). Hotel Coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



2.5m Clear Bubble Tent (mm)



2. UV-SKY-C-25U

UV-SKY-C-25U is design to match bubble tents, such as UV-SKY-C-35 as bathroom, shower room. It is also used for Dinner Room, Bubble Bar, Leisure Restaurant and POP Display Dome.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-25U	2.5	2.5	150	4.9	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Manual curtain system;
- 2). Solar-powered exhaust fan;
- 3). Hotel Coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



UV-SKY-C-25U Bubble Tent (mm)



3. UV-SKY-C-30

UV-SKY-C-30 is design to match bubble tents, such as UV-SKY-C-40/50/60 as bathroom or shower room. It is great products Dinner Room (4 or 7 people), Coffee Bar, Bubble Bar, Leisure Restaurant and POP Display Dome.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-30	3	2.5	280	7.1	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Manual curtain system;
- 2). Solar-powered exhaust fan;
- 3). Hotel Coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



3m Clear Bubble Tent (mm)



4. UV-SKY-C-35

UV-SKY-C-35 is design to be used as single room and match UV-SKY-C-25U as bathroom or shower room.

It can be used for Dinner Room (7 or 10 people), Coffee Bar, Dome Greenhouse, [Glamping Dome](#), Bubble Bar, Leisure Restaurant and POP Display Dome.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-35	3.5	2.8	220	9.6	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Manual curtain system;
- 2). Solar-powered exhaust fan;
- 3). Hotel coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



3.5 Meters VIEWSKY Clear Bubble Tent (mm)



5. UV-SKY-C-35R

UV-SKY-C-35R is design to be used as dinner room, (7 or 10 people), Coffee Bar, Dome Greenhouse, Bubble Bar, Leisure Restaurant and POP Display Dome. But it can't be used as living tent, hotel.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-35R	3.5	2.8	170	9.6	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Manual curtain system;
- 2). Solar-powered exhaust fan;
- 3). Hotel coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



UV-SKY-C-35R Bubble Tent (mm)




6. UV-SKY-C-40

UV-SKY-C-40 is design to be used as single/double room, bubble restaurant (8 or 12 people), Coffee Bar, Dome Greenhouse, Bubble Bar, Leisure Restaurant and POP Display Dome.

Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-40	4	3.25	400	12.6	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Electric curtain for roof and manual curtain for shell;
- 2). Solar-powered exhaust fan;
- 3). Hotel coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



7. UV-SKY-C-50

UV-SKY-C-50 is design to be used as double room, party dome tent, bubble restaurant (10 or 15 people), Dome Greenhouse, Leisure Restaurant and POP Display Dome. Working with UV-SKY-C-25/30, you can put a king bed inside.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-50	5	3.5	520	19.6	Polycarbonate Material; 100% water-proof; Including 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:

- 1). Electric curtain for roof and manual curtain for shell;
- 2). Solar-powered exhaust fan;
- 3). Hotel coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



5m VIEWSKY Clear Bubble Tent (mm)



8. UV-SKY-C-60

UV-SKY-C-60 is design to be used as double room with bathroom, party dome tent, bubble restaurant (15 or 25 people), Dome Greenhouse, Leisure Restaurant and POP Display Dome. Working with UV-SKY-C-25/30, you can put a king bed inside.


Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-60	6	3.25	520	28.3	<p>Polycarbonate Material; 100% water-proof;</p> <p>Including</p> <ol style="list-style-type: none"> 1). Clear polycarbonate dome; 2). Aluminum Door, 1 pc; 3). Aluminum window, 1 pc; 4). Aluminum frames on bottom and top; 5). Installation accessories;

Optional Parts:


- 1). Electric curtain for roof and manual curtain for shell;
- 2). Solar-powered exhaust fan;
- 3). Hotel coded lock (fingerprint, passwords, card and mechanical key);
- 4). LED Light System;



VIEWSKY 6 Meters Glamping Dome Tent (mm)



9. Normal Packaged Bubble Hotel



LUXURY-SERIES Glamping Dome Bubble Tent

1. UV-SKY-L-25


UV-SKY-L-25 Bubble Tent is high-end bubble tent of VIEWSKY, which is designed to match bigger luxury-series bubble tents, such as UV-SKY-C-35/45/55 as bathroom or shower room. It is also used for Dinner Room, SPA Dome, Bubble Bar, and Leisure Restaurant and POP Display Dome.

Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-C-25	2.5	2.5	280	4.9	Polycarbonate Material; 100% Water-Proof; Including 1). Clear Polycarbonate Shell; 2). Aluminum frames on bottom and top; 3). Aluminum Door, 1 pc; 4). Aluminum Window, 1 pc; 5). Hotel Coded lock: fingerprint, passwords, card and mechanical key are available; 6). Manual Curtain System; 7). Installation Accessories;

Optional Parts: LED Light System;



VIEWSKY Bubble Tent UV-SKY-L-25



2. UV-SKY-L-35


UV-SKY-L-35 Bubble Tent is high-end bubble tent of VIEWSKY, which is designed to match bigger luxury-series bubble tents, such as UV-SKY-C-45/55 as bathroom or single room. It is also used for Dinner Room, SPA Dome, Bubble Bar, and Leisure Restaurant and POP Display Dome.

Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-L-35	3.5	2.8	350	9.6	Polycarbonate Material; 100% Water-Proof; Including 1). Clear Polycarbonate Shell; 2). Aluminum frames on bottom and top; 3). Aluminum Door, 1 pc; 4). Aluminum Window, 1 pc; 5). Hotel Coded lock: fingerprint, passwords, card and mechanical key are available; 6). Manual Curtain System; 7). Installation Accessories;

Optional Parts: LED Light System;



VIEWSKY Bubble Tent UV-SKY-L-35



3. UV-SKY-L-45


UV-SKY-L-45 Bubble Tent is high-end bubble tent of VIEWSKY, which is designed to be used double room when matching smaller bubble tents, such as UV-SKY-C-25/35 as bathroom or shower room. It is also used for Dinner Room, SPA Dome, Bubble Bar, and Leisure Restaurant and POP Display Dome.

Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-L-45	4.5	3.5	480	15.9	Polycarbonate Material; 100% Water-Proof; Including 1). Clear Polycarbonate Shell; 2). Aluminum frames on bottom and top; 3). Aluminum Door, 1 pc; 4). Aluminum Window, 1 pc; 5). Hotel Coded lock: fingerprint, passwords, card and mechanical key are available; 6). Manual Curtain System; 7). Installation Accessories;

Optional Parts: LED Light System;



VIEWSKY Bubble Tent UV-SKY-L-45



4. UV-SKY-L-45


UV-SKY-L-45 Bubble Tent is high-end bubble tent of VIEWSKY, which is designed to be used double room when matching smaller bubble tents, such as UV-SKY-C-25/35 as bathroom or shower room. It is also used for Dinner Room, SPA Dome, Bubble Bar, and Leisure Restaurant and POP Display Dome.

Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-L-45	4.5	3.5	480	15.9	Polycarbonate Material; 100% Water-Proof; Including 1). Clear Polycarbonate Shell; 2). Aluminum frames on bottom and top; 3). Aluminum Door, 1 pc; 4). Aluminum Window, 1 pc; 5). Hotel Coded lock: fingerprint, passwords, card and mechanical key are available; 6). Manual Curtain System; 7). Installation Accessories;

Optional Parts: LED Light System;



VIEWSKY Bubble Tent UV-SKY-L-45



5. UV-SKY-L-55



UV-SKY-L-55 Bubble Tent is high-end bubble tent of VIEWSKY, which is designed to be used double room with a bathroom or shower room inside. It can match smaller bubble tents, such as UV-SKY-C-25/35 as bathroom or shower room. It is also used for Dinner Room, SPA Dome, Bubble Bar, and Leisure Restaurant and POP Display Dome.

Model	Diameter (m)	Height (m)	Weight (Kg)	Floor Area (sqm)	Description
UV-SKY-L-55	5.5	3.5	600	23.7	Polycarbonate Material; 100% Water-Proof; Including 1). Clear Polycarbonate Shell; 2). Aluminum frames on bottom and top; 3). Aluminum Door, 1 pc; 4). Aluminum Window, 1 pc; 5). Hotel Coded lock: fingerprint, passwords, card and mechanical key are available; 6). Manual Curtain System; 7). Installation Accessories;

Optional Parts: LED Light System;



VIEWSKY Bubble Tent UV-SKY-L-55



History Projects











AND MORE...



CONTACT US

UVPLASTIC Material Technology Co.,Ltd

Add: 205 Suzhou West Avenue, Suzhou Industrial Park, Suzhou City,
China, 215000

Tel: +86 512 85186727

E-mail: info@uvplastic.com

Homepage: www.uvplastic.com